

Figure 1. Percentage of Terminology Users Who Used (Did Not Use) a Terminology Clinically




Figure 2. Percentage of Clinical Users Who Documented (Did Not Document) with a Terminology




Table. Numbers and Percentages of Opinions about Documentation

Terminology	Documented with	Documentation Understandable		System assist in documentation		Documentation Easier		Documentation Electronic	
		Yes	No	Yes	No	Yes	No	Yes	No
NANDA	249	107 (56.3)	81 (42.6)	106 (55.8)	92 (48.4)	99 (52.1)	84 (44.2)	76 (40.0)	106 (55.8)
NIC	81	43 (66.2)	22 (33.8)	40 (61.5)	23 (35.4)	47 (72.3)	15 (23.1)	41 (63.1)	21 (32.3)
NOC	62	32 (61.5)	18 (34.6)	39 (75.0)	12 (23.1)	35 (67.3)	16 (30.8)	35 (67.3)	16 (30.8)
Omaha	46	33 (78.6)	9 (21.4)	35 (83.3)	7 (16.7)	33 (78.6)	8 (19.0)	35 (83.3)	7 (16.7)
CCC	18	14 (82.4)	3 (17.6)	16 (94.1)	1 (5.9)	14 (82.4)	3 (17.6)	17 (100.0)	0 (0.0)
PNDS	43	29 (72.5)	10 (25.0)	37 (92.5)	3 (7.5)	27 (67.5)	12 (30.0)	35 (87.5)	5 (12.5)
ICNP	4	3 (75.0)	1 (25.0)	3 (75.0)	1 (25.0)	2 (50.0)	2 (50.0)	4 (100.0)	0 (0.0)
SNOMED	38	21 (65.6)	10 (31.3)	24 (75.0)	8 (25.0)	19 (59.4)	11 (34.4)	29 (90.6)	2 (6.3)
LOINC	24	11 (73.3)	3 (20.0)	14 (93.3)	0 (0.0)	10 (66.7)	4 (26.7)	15 (100.0)	0 (0.0)

Figure 3. Percentage of Users Who Believed That Documenting With A Terminology Made It More Understandable (Not More Understandable) To Others




Figure 4. Percentage of Users Whose Documentation System Assisted (Did Not Assist) Documentation with the Terminology




Figure 5. Documentation Easier (Not Easier) With the Terminology




Figure 6. Percentage of Those Who Documented Electronically (Not Electronically) Using a Terminology

